

WASHING MACHINES

2 0 1 9

Technical Specifications





WASHING MACHINE

EVWM-FDDH



Evvoli Model Name	EVWM-FDDH-712S/W	EVWM-FDDH-814S/W	EVWM-FDDH-914S/W	EVWM-FDDH-1014S/W
Color	White/silver	White/silver	White/silver	White/silver
Max Wash Capacity(kg)	7	8	9	10
Max Dry Capacity(kg)	-	-	-	-
Drum Volume(L)	41	58	58	63
Intelligent Washing System	0	0	0	0
Auto Balance	0	0	0	0
Load detect	0	0	0	0
Foam sensing & removal	0	0	0	0
Variable Spin speed	1200/1000/800/400/No spin	1400/1000/800/400/No spin	1400/1000/800/400/No spin	1400/1000/800/400/No spin
Variable Temperature(°C)	Cold/20/40/60/90°C	Cold/20/40/60/90°C	Cold/20/40/60/90°C	Cold/20/40/60/90°C
Hot & Cold Water option	0	0	0	0
Auto Restart	0	0	0	0
Door Switch type	Auto Door	Auto Door	Auto Door	Auto Door
Motor type	Direct Drive Motor	Direct Drive Motor	Direct Drive Motor	Direct Drive Motor
Display	LED	LED	LED	Big LED
Key Type	Micro+Tact+Touch	Micro+Tact+Touch	Micro+Tact+Touch	Micro+Tact+Touch
Inner Drum	Comb type	Comb type	Comb type	Comb type
Drum Lifter	Wave Lifter	Wave Lifter	Wave Lifter	Waved Lifter
Door size(out door frame diameter)	475mm	475mm	475mm	475mm
Door Opening Angle(°)	140°	140°	140°	140°
Door Rim	Colorful door décor	Colorful door décor	Colorful door décor	Chrome door (Black)
Inner Drum Size	φ484*287	φ484*372	φ484*372	φ484*400
Performance				
Operation voltage	AC 220-240V	AC 220-240V	AC 220-240V	AC 220-240V
Rated Frequency	50Hz	50Hz	50Hz	50Hz
Rated Heating Input power (W)	1500W	2000W	2000W	2000W
Max.Input Power (W)	1650W	2200W	2200W	2200W
Rated Washing Input power (W)	200W	200W	200W	200W
Spinning Input power (W)	420W	500W	600W	650W
Water consumption (L/Cycle)	48	55	55	59
Energy Consumption (kWh/Cycle)	0.69	0.89	1	1.05
Water Consumption (L/Anual)	10560	12000	12100	13000
Energy Consumption (kWh/Anual)	152	195	218	230
Energy Efficiency Class	A+++ -10%	A+++ -10%	A+++ -10%	A+++
Spin Performance	B	B	B	B
Drying rate	-	-	-	-
Washing Efficiency Index	1.03	1.03	1.03	1.03
Waterproof Class	IPX4	IPX4	IPX4	IPX4
Noise level -Wash (PWL)	60 dBA	60 dBA	60 dBA	60 dBA
Noise level -Spin (PWL)	75 dBA	75 dBA	75 dBA	75 dBA
Noise level -Dry (PWL)	-	-	-	-
Water pressure (MPa)	0.03-1	0.03-1	0.03-1	0.03-1
Programs (course)	14 course	14 course	14 course	14 course
Baby Care	0	0	0	0
Cotton	0	0	0	0
Eco	0	0	0	0
Down Jacket	0	0	0	0
Synthetic(Easy care)	0	0	0	0
Mix	0	0	0	0
Sports wear	0	0	0	0
Duvet (Bulky)	0	0	0	0
Delicate	0	0	0	0
Wool/Hand Wash	0	0	0	0
Quick15	0	0	0	0
Rinse+Spin	0	0	0	0
Spin	0	0	0	0
Tub Clean	0	0	0	0
Additional Options				
Prewash	0	0	0	0
Pre Delay/Time Delay	0	0	0	0
Normal	0	0	0	0
Soak	0	0	0	0
Rinse+	0	0	0	0
Time save	0	0	0	0
Intensive	0	0	0	0
Crease Care(Wrinkle free)	0	0	0	0
No Spin	0	0	0	0
Child-Lock	0	0	0	0
Beeper On/Off	0	0	0	0
Display				
Time Delay	3-19 hrs	3-19 hrs	3-19 hrs	3-19 hrs
Running Time Indicator	0	0	0	0
Start/Pause Indication	0	0	0	0
Door Lock Indication	0	0	0	0
Error Message Indication	0	0	0	0
Error Message Alarm	0	0	0	0
Dimension				
Dimension (W*D*H)	595x510x850 mm	595x600x850 mm	595x600x850 mm	595x640x850 mm
Dimension with packing (W*D*H)	657x565x885 mm	660x670x885 mm	660x670x885 mm	660x710x885 mm
Weight	58	66	66	68
Weight with packing	62	71	71	73
Adjustable Leg	10	10	10	10
Loading Quantity (40HQ)	215	162	162	162



Evvoli Model	EVWM-FDDM-712S/W	EVWM-FDDM-814S/W	EVWM-FDDM-914S/W
Color	White/silver	White/silver	White/silver
Max Wash Capacity(kg)	7	8	9
Max Dry Capacity(kg)	-	-	-
Drum Volume(L)	41	58	58
Intelligent Washing System	0	0	0
Auto Balance	0	0	0
Load detect	0	0	0
Foam sensing & removal	0	0	0
Variable Spin speed	1200/1000/800/400/No spin	1400/1000/800/400/No spin	1400/1000/800/400/No spin
Variable Temperature(°C)	Cold/20/40/60/90°C	Cold/20/40/60/90°C	Cold/20/40/60/90°C
Hot & Cold Water option	0	0	0
Auto Restart	0	0	0
Door Switch type	Auto Door	Auto Door	Auto Door
Motor type	Direct Drive Motor	Direct Drive Motor	Direct Drive Motor
Display	LED	LED	LED
Key Type	Micro+Tact+Touch	Micro+Tact+Touch	Micro+Tact+Touch
Inner Drum	Comb type	Comb type	Comb type
Drum Lifter	Wave Lifter	Wave Lifter	Wave Lifter
Door size(out door frame diameter)	458mm	458mm	458mm
Door Opening Angle(°)	130°	130°	130°
Door Rim	Chrome door (Black)	Chrome door (Black)	Chrome door (Black)
Inner Drum Size	φ484*287	φ484*372	φ484*372
Performance			
Operation voltage	AC 220-240V	AC 220-240V	AC 220-240V
Rated Frequency	50Hz	50Hz	50Hz
Rated Heating Input power (W)	1500W	2000W	2000W
Max.Input Power (W)	1650W	2200W	2200W
Rated Washing Input power (W)	150W	200W	200W
Spinning Input power (W)	320W	500W	600W
Water consumption (L/Cycle)	48	55	55
Energy Consumption (kWh/Cycle)	0.69	0.89	1
Water Consumption (L/Anual)	10560	12000	12100
Energy Consumption (kWh/Anual)	152	195	218
Energy Efficiency Class	A+++	A+++~10%	A+++~10%
Spin Performance	B	B	B
Drying rate	-	-	-
Washing Efficiency Index	1.03	1.03	1.03
Waterproof Class	IPX4	IPX4	IPX4
Noise level -Wash (PWL)	60 dBA	60 dBA	60 dBA
Noise level -Spin (PWL)	75dBA	75dBA	75dBA
Noise level -Dry (PWL)	-	-	-
Water pressure (MPa)	0.03-1	0.03-1	0.03-1
Programs (course)	14 course	14 course	14 course
Baby Care	0	0	0
Cotton	0	0	0
Eco	0	0	0
Down Jacket	0	0	0
Synthetic(Easy care)	0	0	0
Mix	0	0	0
Sports wear	0	0	0
Delicate	0	0	0
Wool/Hand Wash	0	0	0
Quick15'	0	0	0
Duvet (Bulky)	0	0	0
Rinse+Spin	0	0	0
Spin	0	0	0
Tub Clean	0	0	0
Additional Options			
Prewash	0	0	0
Pre Delay/Time Delay	0	0	0
Normal	0	0	0
Soak	0	0	0
Rinse+	0	0	0
Intensive	0	0	0
Crease Care(Wrinkle free)	0	0	0
No Spin	0	0	0
Child-Lock	0	0	0
Beeper On/Off	0	0	0
Time save	0	0	0
Favorite	0	0	0
Display			
Time Delay	3-19 hrs	3-19 hrs	3-19 hrs
Running Time indicator	0	0	0
Start/Pause Indication	0	0	0
Door Lock Indication	0	0	0
Error Message Indication	0	0	0
Error Message Alarm	0	0	0
Dimension			
Dimension (W*D*H)	595x510x850 mm	595x600x850 mm	595x600x850 mm
Dimension with packing (W*D*H)	657x565x885 mm	660x670x885 mm	660x670x885 mm
Weight	58	66	66
Weight with packing	62	71	71
Adjustable Leg	10	10	10
Loading Quantity (40HQ)	215	162	162



WASHING MACHINE

EVWM-FBLE



EVWM-FBLE-914W | 9kg

EVWM-FBLE-1015W | 10kg

Evvoli Model Name		EVWM-FBLE-914W/S	EVWM-FBLE-1015W/S
Color		White/Silver	White/Sliver
Rated Power Supply	V	220-240 V	220-240 V
Rated Frequency	Hz	50	50
Rated Washing Capacity	kg	9	10
Rated Spinning Capacity	kg	9	10
Rated Power	W	2000	1950
Rated Current	A	10	10
Power consumption left-on mode	W	1	1
Power consumption off-mode	W	0.5	0.5
Max. Spin Speed	RPM	1400	1500
Standard Water Pressure	Mpa	0.05~1 Mpa	0.05~1 Mpa
Display Type		LED	LED
Door Lock		Electromagnetic Lock	Electromagnetic Lock
Motor		BLDC Motor	BLDC Motor
Power cord length	m	1.5	1.5
Water Inlet Hose Length	m	1	1
Water Outlet Hose Length	m	1.6	1.6
Energy Rating			
Energy Efficiency Class		A+++~20%	A+++~30%
Washing Performance Class		A	A
Spin-drying Effiency Class		B	B
Wash Ratio		1.03	1.03
Moisture Ratio		53%	53%
Annual energy consumption (AEC)	kW·h/annum	158	167
Energy consumption (cotton 60°C full load)	kW·h/cycle	0.7	0.77
Energy consumption (cotton 60°C partial load)	kW·h/cycle	0.7	0.78
Energy consumption (cotton 40°C partial load)	kW·h/cycle	0.69	0.65
Weighted annual water consumption (AWC)	L/annum	11880	12980
Water consumption (cotton 60°C full load)	L/cycle	57	60
Water consumption (cotton 60°C partial load)	L/cycle	51	58
Water consumption (cotton 40°C partial load)	L/cycle	51	58
Average programm time (cotton 60°C full load)	min	290	280
Average programm time (cotton 60°C partial load)	min	288	275
Average programm time (cotton 40°C partial load)	min	285	270
Airborne washing acoustical noise emissions	dB	57	57
Airborne spinning acoustical noise emissions	dB	79	79
Programmes and Performance			
Number Of Program		14	14
Knob selection	Cotton ECO	yes	yes
	Quick wash 15'	yes	yes
	Delicate	yes	yes
	Wool	yes	yes
	Rinse&Spin	yes	yes
	Spin Only	yes	yes
	Drum Clean	yes	yes
	Cotton	yes	yes
	Synthetic	yes	yes
	Mix	yes	yes
	Bed linen	yes	yes
	Baby Care	yes	yes
	Color Care	yes	yes
	My cycle	yes	yes
Button Function	Delay	yes (24 hours)	yes (24 hours)
	Temp	yes	yes
	Spin	yes	yes
	Super Steam	yes	yes
	Soil level	less-standard-extra	less-standard-extra
	Speed Wash	yes	yes
	Extra Rinse	yes	yes
	Prewash	yes	yes
Functions	Mute-washing	yes	yes
	Memory (Press 3 seconds)	yes	yes
	Child Lock (Combined)	yes	yes
	Spin Speed Selection	0-400-600-800-1000-1200-1400	0-400-600-800-1000-1200-1400-1500
	Temperature Selection	Cold-20°C-30°C-40°C-60°C-90°C	Cold-20°C-30°C-40°C-60°C-90°C
Specifications			
Volume Of Inner Tub	L	56.2	70
Diameter Of Inner Tub	mm	472	510
Door Diameter	mm	310	330
Door Outer Frame Diameter (outer)	mm	480	480
Net Dimensions (W×D×H)	mm	595 × 565 × 850	595 × 565 × 850
Gross Dimensions (W×D×H)	mm	680 × 660 × 875	680 × 695 × 875
Net Weight	kg	71	72
Gross Weight	kg	76	76
Loading Q'ty	20 ft	48	48
	40 ft Normal	108	102
	40 ft High	152	152



EVWM-FBLH-1014S | 10kg

EVWM-FBLH-1214W | 12kg

Evvoli Model Name		EVWM-FBLH-1014W/S	EVWM-FBLH-1214W/S
Color		White/Silver	White/Silver
Rated Power Supply	V	220-240 V	220-240 V
Rated Frequency	Hz	50 Hz	50 Hz
Rated Washing Capacity	kg	10 Kg	12 Kg
Rated Spinning Capacity	kg	10 Kg	12 Kg
Rated Power	W	2000 W	2000 W
Rated Current	A	10 A	10 A
Power consumption left-on mode	W	1.0 W	1.0 W
Power consumption off-mode	W	0.5 W	0.5 W
Max. Spin Speed	RPM	1400 RPM	1400 RPM
Standard Water Pressure	Mpa	0.05~1 Mpa	0.05~1 Mpa
Display Type		LED	LED
Display Color		White	White
Door Lock		Electromagnetic Lock	Electromagnetic Lock
Motor		BLDC Motor	BLDC Motor
Power cord length	m	1.5 M	1.5 M
Water Inlet Hose Length	m	1.0 M	1.0 M
Water Outlet Hose Length	m	1.6 M	1.6 M
Energy Rating			
Energy Efficiency Class		A+++ -30%	A+++ -30%
Washing Performance Class		A	A
Spin-drying Efficiency Class		A	B
Wash Ratio		1.03	1.03
Moisture Ratio		44%	53%
Annual energy consumption (AEC)	kW-h/annum	167 kW-h/annum	197 kW-h/annum
Energy consumption (cotton 60°C full load)	kW-h/cycle	0.77 kW-h/cycle	0.90 kW-h/cycle
Energy consumption (cotton 60°C partial load)	kW-h/cycle	0.77 kW-h/cycle	0.90 kW-h/cycle
Energy consumption (cotton 40°C partial load)	kW-h/cycle	0.66 kW-h/cycle	0.82 kW-h/cycle
Weighted annual water consumption (AWC)	L/annum	13000 L/annum	14000 L/annum
Water consumption (cotton 60°C full load)	L/cycle	60 L	64 L
Water consumption (cotton 60°C partial load)	L/cycle	58 L	62 L
Water consumption (cotton 40°C partial load)	L/cycle	58 L	62 L
Average programm time (cotton 60°C full load)	min	239 min	243 min
Average programm time (cotton 60°C partial load)	min	239 min	243 min
Average programm time (cotton 40°C partial load)	min	233 min	239 min
Airborne washing acoustical noise emissions	dB	56 dB	59 dB
Airborne spinning acoustical noise emissions	dB	78 dB	76 dB
Programmes and Performance			
Number Of Program		16	16
Knob selection	Cotton ECO	yes	yes
	Hand Wash	yes	yes
	Sport Wear	yes	yes
	Quick	yes	yes
	Delicate	yes	yes
	Wool	yes	yes
	Rinse&Spin	yes	yes
	Spin Only	yes	yes
	Drain Only	yes	yes
	Colors	yes	yes
	Mix	yes	yes
	Jeans	yes	yes
	Baby Care	yes	yes
	Synthetic	yes	yes
	Cotton	yes	yes
	My cycle	yes	yes
Button Function	Delay	yes (24 hours)	yes (24 hours)
	Temp	yes	yes
	Spin	yes	yes
	Speed Wash	yes	yes
	Extra Rinse	yes	yes
	Prewash	yes	yes
Functions	Mute-washing	yes	yes
	Memory (Press 3 seconds)	yes	yes
	Child Lock (Combined)	yes	yes
	Spin Speed Selection	0-600-800-1000-1200-1400	0-600-800-1000-1200-1400
	Temperature Selection	Cold-20°C-30°C-40°C-60°C-90°C	Cold-20°C-30°C-40°C-60°C-90°C
Specifications			
Volume Of Inner Tub	L	70.0 L	76.0 L
Diameter Of Inner Tub	mm	510 mm	510 mm
Door Diameter	mm	330 mm	330 mm
Door Outer Frame Diameter (outer)	mm	480 mm	480 mm
Net Dimensions (W×D×H)	mm	595 × 565 × 850	595 × 587 × 850
Gross Dimensions (W×D×H)	mm	680 × 695 × 875	680 × 720 × 875
Net Weight	kg	70 Kg	73 Kg
Gross Weight	kg	75 Kg	78 Kg
Loading Q'ty	20 ft	48	48
	40 ft Normal	102	102
	40 ft High	152	152



EVWM-FINM-812W | 8kg

EVWM-FINM-812S | 8kg

Evvoli Model Name		EVWM-FINM-812W/S
color		White/Silver
Rated Power Supply	V	220-240 V
Rated Frequency	Hz	50
Rated Washing Capacity	kg	8
Rated Spinning Capacity	kg	8
Rated Power	W	2000
Rated Current	A	10
Power consumption left-on mode	W	1
Power consumption off-mode	W	0.5
Max. Spin Speed	RPM	1200
Standard Water Pressure	Mpa	0.05 ~ 1 Mpa
Display Type		LED
Door Lock		Electromagnetic Lock
Motor		Inverter Motor
Power cord length	m	1.5
Water Inlet Hose Length	m	1
Water Outlet Hose Length	m	1.6
Energy Rating		
Energy Efficiency Class		A+++
Washing Performance Class		A
Spin-drying Efficiency Class		B
Wash Ratio		1.03
Moisture Ratio		0.527142857
Annual energy consumption (AEC)	kW-h/annum	196
Energy consumption (cotton 60°C full load)	kW-h/cycle	1.05
Energy consumption (cotton 60°C partial load)	kW-h/cycle	0.84
Energy consumption (cotton 40°C partial load)	kW-h/cycle	0.63
Weighted annual water consumption (AWC)	L/annum	11000
Water consumption (cotton 60°C full load)	L/cycle	55
Water consumption (cotton 60°C partial load)	L/cycle	45
Water consumption (cotton 40°C partial load)	L/cycle	45
Average programm time (cotton 60°C full load)	min	179
Average programm time (cotton 60°C partial load)	min	179
Average programm time (cotton 40°C partial load)	min	179
Airborne washing acoustical noise emissions	dB	59
Airborne spinning acoustical noise emissions	dB	78
Programmes and Performance		
Number Of Program		16
Knob selection	Cotton ECO	yes
	Hand Wash	yes
	Sport Wear	yes
	Quick	yes
	Delicate	yes
	Wool	yes
	Rinse&Spin	yes
	Spin Only	yes
	Drain Only	yes
	Colors	yes
	Mix	yes
	Jeans	yes
	Baby Care	yes
	Synthetic	yes
	Cotton	yes
	My cycle	yes
Button Function	Delay	yes (24 hours)
	Temp	yes
	Spin	yes
	Speed Wash	yes
	Extra Rinse	yes
	Prewash	yes
Functions	Mute-washing	yes
	Memory (Press 3 seconds)	yes
	Child Lock (Combined)	yes
	Spin Speed Selection	0-600-800-1000-1200-1400
	Temperature Selection	Cold-20°C-30°C-40°C-60°C-90°C
Specifications		
Volume Of Inner Tub	L	53.6
Diameter Of Inner Tub	mm	472
Door Diameter	mm	310
Door Outer Frame Diameter (outer)	mm	480
Net Dimensions (W×D×H)	mm	595 × 565 × 850
Gross Dimensions (W×D×H)	mm	680 × 660 × 875
Net Weight	kg	68
Gross Weight	kg	72
Loading Q'ty	20 ft	48
	40 ft Normal	108
	40 ft High	160



Evvoli Model Name	EVWM-FUNM-712W	EVWM-FUNM-814W
Color	White	White
Max Wash Capacity(kg)	7	8
Max Dry Capacity(kg)	-	-
Drum Volume(L)	46	58
Intelligent Washing System	0	0
Auto Balance	0	0
Load detect	-	-
Foam sensing & removal	0	0
Variable Spin speed	1200/1000/800/400/No spin	1400/1000/800/400/No spin
Variable Temperature(°C)	Cold/20/40/60/90°C	Cold/20/40/60/90°C
Hot & Cold Water option	0	0
Auto Restart	0	0
Door Switch type	Manual Door	Auto Door
Motor type	Universal Motor	Universal Motor
Display	LED	LED
Key Type	Micro+Tact	Micro+Tact
Inner Drum	Comb type	Comb type
Drum Lifter	Wave Lifter	Wave Lifter
Door size(out door frame diameter)	472mm	472mm
Door Opening Angle(°)	150°	150°
Door Rim	Chrome door (Black)	Chrome door (Black)
Inner Drum Size	Φ484*317	Φ484*372
Performance		
Operation voltage	AC 220-240V	AC 220-240V
Rated Frequency	50Hz	50Hz
Rated Heating Input power (W)	1500W	2000W
Max.Input Power (W)	1750W	2300W
Rated Washing Input power (W)	300W	350W
Spinning Input power (W)	500W	650W
Water consumption (L/Cycle)	52.5	55
Energy Consumption (kWh/Cycle)	0.89	0.89
Water Consumption (L/Anual)	11500	12000
Energy Consumption (kWh/Anual)	174	220
Energy Efficiency Class	A++	A+++
Spin Performance	B	B
Drying rate	-	-
Washing Efficiency Index	1.03	1.03
Waterproof Class	IPX4	IPX4
Noise level -Wash (PWL)	60 dBA	60 dBA
Noise level -Spin (PWL)	76 dBA	78 dBA
Noise level -Dry (PWL)	-	-
Water pressure (MPa)	0.03-1	0.03-1
Programs (course)	14 course	14 course
Baby Care	0	0
Cotton	0	0
Eco	0	0
Synthetic(Easy care)	0	0
Mix	0	0
Sports wear	0	0
Delicate	0	0
Wool/Hand Wash	0	0
Quick15'	0	0
Quick42'	0	0
Duvet (Bulky)	0	0
Rinse+Spin	0	0
Spin	0	0
Tub Clean	0	0
Additional Options		
Prewash	0	0
Pre Delay/Time Delay	0	0
Normal	0	0
Soak	0	0
Rinse+	0	0
Intensive	0	0
Crease Care(Wrinkle free)	0	0
No Spin	0	0
Child-Lock	0	0
Beeper On/Off	0	0
Display		
Time Delay	3-24 hrs	3-24 hrs
Running Time indicator	0	0
Start/Pause Indication	0	0
Door Lock Indication	0	0
Error Message Indication	0	0
Error Message Alarm	0	0
Dimension		
Dimension (W*D*H)	595x510x850 mm	595x600x850 mm
Dimension with packing (W*D*H)	657x565x885 mm	660x670x885 mm
Weight	56	63
Weight with packing	60	67
Adjustable Leg	10	10
Loading Quantity (40HQ)	215	162



Evvoli Model Name	EVWM-FUNL-610W	EVWM-FUNL-710W/S
Color	White	White/Sliver
Max Wash Capacity(kg)	6	7
Max Dry Capacity(kg)	-	-
Drum Volume(L)	40	46
Intelligent Washing System	0	0
Auto Balance	0	0
Load detect	-	-
Foam sensing & removal	0	0
Variable Spin speed	1000/800/600/400/No spin	1000/800/600/400/No spin
Variable Temperature(°C)	Cold/20/40/60/90°C	Cold/20/40/60/90°C
Hot & Cold Water option	0	0
Auto Restart	0	0
Door Switch type	Manual Door	Manual Door
Motor type	Universal Motor	Universal Motor
Display	LED	LED
Key Type	Tact	Tact
Inner Drum	Comb type	Comb type
Drum Lifter	Wave Lifter	Wave Lifter
Door size(out door frame diameter)	472mm	472mm
Door Openning Angle(°)	150°	150°
Door Rim	White/silver	White/silver
Inner Drum Size	ϕ484*263.5	ϕ484*317
Performance		
Operation voltage	AC 220-240V	AC 220-240V
Rated Frequency	50Hz	50Hz
Rated Heating Input power (W)	1500W	1500W
Max.Input Power (W)	1750W	1750W
Rated Washing Input power (W)	250W	300W
Spinning Input power (W)	400W	500W
Water consumption (L/Cycle)	48	52.5
Energy Consumption (kWh/Cycle)	0.78	0.89
Water Consumption (L/Anual)	10560	11500
Energy Consumption (kWh/Anual)	170	196
Energy Efficiency Class	A++	A++
Spin Performance	C	C
Drying rate	-	-
Washing Efficiency Index	1.03	1.03
Waterproof Class	IPX4	IPX4
Noise level -Wash (PWL)	60 dBA	60 dBA
Noise level -Spin (PWL)	74 dBA	74 dBA
Noise level -Dry (PWL)	-	-
Water pressure (MPa)	0.03-1	0.03-1
Programs (course)	12 course	12 course
Baby Care	0	0
Cotton	0	0
Eco	0	0
Synthetic(Easy care)	0	0
Mix	0	0
Sports wear	0	0
Wool/Hand Wash	0	0
Quick15'	0	0
Duvet (Bulky)	0	0
Rinse+Spin	0	0
Spin	0	0
Underwear	0	0
Additional Options		
Pre Delay/Time Delay	0	0
Tub Clean	0	0
Spin Only	0	0
No Spin	0	0
Child-Lock	0	0
Display		
Time Delay	3-24 hrs	3-24 hrs
Running Time indicator	0	0
Start/Pause Indication	0	0
Door Lock Indication	0	0
Error Message Indication	0	0
Error Message Alarm	0	0
Dimension		
Dimension (W*D*H)	595x440x850 mm	595x510x850 mm
Dimension with packing (W*D*H)	657x490x885 mm	657x565x885 mm
Weight	52	56
Weight with packing	55	60
Adjustable Leg	10	10
Loading Quantity (40HQ)	252	215




DD
DIRECT DRIVE
INVERTER MOTOR

★ **10** ★
YEARS
WARRANTY


BLDC MOTOR
INVERTER MOTOR

★ **10** ★
YEARS
WARRANTY


INVERTER
MOTOR

★ **10** ★
YEARS
WARRANTY


UNI
UNIVERSAL MOTOR
TECHNOLOGY

★ **3** ★
YEARS
WARRANTY

ORIGINAL ITALIAN BRAND



WWW.EVVOLI.COM